



Installation Guidelines  
60027, 60028, 40027. 40028

Finishes: Brushed Stainless, Matte Black, Polished Stainless

Included Parts (complete in package)

1. Valve
2. Trim (handles and Plate)
3. Fill Spout
4. Shower Arm
5. Shower Head
6. Connector and trim for Hand Shower
7. Hand shower
8. Hand shower hose

Please check local codes for valve, shower arm and fill spout locations  
Installation

1. Valve (Complete and Assembled)



2. Identify and mark positioning for fill spout, shower head and hand shower Please check local codes for proper location.
3. Locate outlet on the valve, all are clearly marked  
Block Studs for Valve and install (make sure you account for greenboard and tile)  
If you are not using the fill spout or hand shower, you can plug the outlet.  
Plumb hot and cold-water lines  
Plumb water line to shower head  
Plumb water line to fill spout  
Plumb water line to the hand shower



4. Connect fill spout to water line and stub out ½ inch pipe.



5. Connect shower arm to female connector (not included)



6. Connect trim for hand shower to the water line, stub out for trim



7. Install trim plate, and control knobs
  - a. Install trim plate
  - b. Install On/Off control, attach to cartridge using Allen wrench (included)
  - c. Install diverter, attach to cartridge using Allen wrench (included)
  - d. Install handles to the ON/OFF knob and diverter knob



8. Install trim, install hose to the hand shower and connect to the trim



9. Attach shower head



Test installation for leaks